REFERENCES

- Bose S, Byahatti VV, D'Souza MG, Bose A, (2010). Antioxidant and antimicrobial activities of isolated constituents from the bark of *Polyalthia longifolia*. International journal of green pharmacy;4(2):93-7.
- Cai W, Gu X, Tang J, (2010). Extraction, purification, and characterization of the flavonoids from *Opuntia milpa* alta skin. Czech J. Food Sci;28:108–116.
- Edwin E, Sheeja E, Dhanabal SP, Suresh B, (2007). Antihyperglycemic activity of *Passiflora mollissima* bailey. Indian journal of pharmaceutical sciences;69(4):570-71.
- Erdemoglua N, Akkol EK, Yesiladab E, Calıs I, (2008). Bioassay-guided isolation of anti-inflammatory and antinociceptive principles from a folk remedy, *Rhododendron ponticum* L. leaves. Journal of Ethnopharmacology;119:172–78.
- Esra K, Sebnem UH, Varel M, Yesilada E, Saracoglu I, (2005). Bioassay-guided isolation of iridoid glucosides with antinociceptive and anti-inflammatory activities from *Veronica anagallis-aquatica* L. Journal of Ethnopharmacology;102:170–76
- Frederick I. O, Anthony U. O. (1978). Identification and quantitative determination of the lipids of *Alocasia macrorrhiza* tubers. Journal of the Science of Food & Agriculture;29(12):1002–1006.
- Ghule S, Prakash T, Kotresha D, Karki R, Surendra V, Goli D, (2010). Anti-diabetic activity of *Celosia argentea* root in streptozotocin-induced diabetic rats. International journal of green pharmacy;4(3):206-11.
- Grover JK, Yadav SP, (2004). Pharmacological actions and potential uses of *Momordica charantia*: A review. Journal of Ethnopharmacology;93:123-32.
- Guerrero-Analco JA, Martineau L, Saleem A, Madiraju P, Muhammad A, Durst T, Haddad P, Arnason JT, (2010). Bioassay-guided isolation of the antidiabetic principle from *Sorbus decora* (Rosaceae) used traditionally by the Eeyou Istchee Cree First Nations. Journal of Natural Products 24;73(9):1519-23.
- Han T, Lib HL, Zhanga QY, Hana P, Zhenga HC, Rahmanc K, Qin LP, (2007). Bioactivity-guided fractionation for anti-inflammatory and analgesic properties and constituents of *Xanthium strumarium* L. Phytomedicine;14:825–29.

- Hoque T, Sikder MA, Kaisar MA, Asad A, Chowdhury, Rashid MA, (2011) Biological Screenings of Two Araceous Plants Growing in Bangladesh. Dhaka Univ. J. Pharm. Sci;10(2):131-35.
- Hule AK, Shah AS, Gambhire MN, Juvekar AR, (2011). An evaluation of the antidiabetic effects of *Elaeocarpus ganitrus* in experimental animals. Indian journal of pharmacology;43(1):56-59.
- Islam MA, Akhtar MA, Khan MR, Hossain MS, Alam MK, Wahed MI, Rahman BM, Anisuzzaman AM, Shaheen SM, Ahmed A, (2009). Antidiabetic and hypolipidemic effects of different fractions of *Catharanthus roseus* (Linn.) on normal and streptozotocin-induced diabetic rats. Journal of scientific research;1(2):334-44.
- Kadnur SV, Goyal RK, (2005). Comparative Antidiabetic Activity Of Methanolic Extract And Ethyl Acetate Extract Of *Zingiber Officinal* Roscoe. Indian journal of pharmaceutical sciences;67(4):453-57.
- Kannur DM, Hukkeri VI, Akki KS, (2006). Antidiabetic activity of *Caesalpinia bonducella* seed extracts in rats. Fitoterapia;77(2006):546–49.
- Kiwan B, Wenyi J, Phuong TT, Byung SM, Minkyun N, Young ML, Kang SS, (2007). A new flavonoid glycoside from the leaf of *Cephalotaxus koreana.* Fitoterapia;78:409–13.
- Ludwiczuk A, Saha A, Kuzuhara T, Asakawa Y, (2011). Bioactivity guided isolation of anticancer constituents from leaves of *Alnus sieboldiana* (Betulaceae). Phytomedicine;8:491–98.
- Luo Q, Cai Y, Yan J, Sun M, Corke H, (2004). Hypoglycemic and hypolipidemic effects and antioxidant activity of fruit extracts from *Lycium barbarum.* Life Sciences;76:137–49.
- Mall GK, Mishra PK, Prakash V, (2009). Antidiabetic and hypolipidemic activity of *Gymnema sylvestre* in alloxan induced diabetic rats. Global Journal of Biotechnology & Biochemistry;4(1):37-42.
- Mulla WA, Chopade AR, Bhise SB, Burade KB, Khanwelkar CC, (2011). Evaluation of antidiarrheal and in vitro antiprotozoal activities of extracts of leaves of *Alocasia indica*. Pharm Biol; 49(4):354-61.
- Mulla WA, Kuchekar SB, Thorat VS, Chopde AR, Kuchekar BS, (2010). Antioxidant, Antinociceptive and anti-inflammatory activities of ethanolic extract of leaves of *Alocasia indica* Schott. Journal of young pharmacist;2(2):137-43.
- Mulla WA, Salunkhe VR, Bhise SB, (2009). Hepatoprotective activity of hydroalcoholic extract of leaves of *Alocasia indica*. Linn. Indian Journal of Experimental Biology;47(10):816-21.

- Mulla WA, Salunkhe VR, Kuchekar SB, Qureshi MN, (2009). Free radical scavenging activity of leaves of *Alocasia indica* Linn. Indian journal of Pharmaceutical Research;71(3):303-07.
- Mulla WA, Sargade PB, Pawar AM, Tarkasband HA, Sayyad FJ, (2010). Evaluation of antimicrobial activity of leaves of *Alocasia indica* Linn. International Journal of Pharm Tech Research;2(1):327-33.
- Mulla WA, Thorat VS, Patil RV, Burade KB, (2010). Anthelmintic activity of leaves of *Alocasia indica* Linn. International Journal of Pharm Tech Research;2(1):26-30.
- Nagappa AN, Thakurdesai PA, Venkatrao N, Jiwan S, (2003). Antidiabetic activity of *Terminalia catappa* Linn. Fruits. J. Ethnopharmacology;88:45-50.
- Patil BR, Bamane SH, Khadsare UR, (2011). In vitro protection of hepatocytes by *Alocasia macrorrhiza* leaf juice against CCL4 and tylenol mediated hepatic injury. International Journal Of Pharmaceutical Applications;2(2):122-27.
- Patil R, Patil R, Ahirwar B, Ahirwar D, (2011). Isolation and characterization of anti-diabetic component from *Ocimum sanctum* L. (Lamiaceae) aerial part. Asian Pacific Journal of Tropical Medicine;4(4):278-82.
- Patwekar FI, Patwekar MF, Asif M, Heroor S, Mohsin AA, (2010). Activity guided separation of phytoconstituents from the flowers of *Ichnocarpus frutescens* L. and evaluation for antioxidant property. Research Journal of Pharmaceutical, Biological and Chemical Sciences;1(4):318-23.
- Prabhakar KR, Veeresh VP, Vipan K, Sudheer M, Priyadarsini KI, Satish RB, Unnikrishnan RK, (2006), Bioactivity-guided fractionation of *Coronopus didymus*: A free radical scavenging perspective. Phytomedicine;13:591–95.
- Pullaiah T, Naidu CK, (2003). Antidiabetic plants in India and herbal based Antidiabetic research. 1st ed. New Delhi: Regency Publications.
- Selvamani P, Lata S, Elayaraja K, Sureshbabu P, Gupta JK, Pal K, Ghosh LK, Sen DJ, (2008). Antidiabetic activity of the ethanol extract of *Capparis sepiaria* leaves. Indian journal of pharmaceutical sciences; 70(3):378-80.
- Shahverdi AR, Iranshahi M, Mirjani R, Jamalifar H, Amin G, Shafiee A, (2005). Bioassay-guided isolation and identification of an antibacterial compound from *Ferula persica* var. persica roots.DARU;13(1):17-19.

- Sharma RK, Arora R, (2006). Herbal Drugs. A twenty first century perspective. New Delhi: Jaypee Brothers.
- Singh AK, Singh J, (2010). Evaluation of anti-diabetic potential of leaves and stem of *Flacourtia jangomas* in streptozotocin-induced diabetic rats. Indian journal of pharmacology;42(5):301-05.
- Singh J, Kamboj SS, Sandhu RS, Shangary S, Kamboj KK. (1993). Purification and characterization of a tuber lectin from *Alocasia indica*. Phytochemistry;33(5):979–83.
- Sua BN, Parka EJ, Vigo JS, Grahama JG, Cabiesesb F, Harry H.S, Pezzuto JM, Kinghorn DA, (2003). Activity-guided isolation of the chemical constituents of *Muntingia calabura* using a quinone reductase induction assay, Phytochemistry; 63:335–41.
- Syamsudin, Sumarny R, Simanjuntak R, (2010). Antidiabetic activity of active fractions of L*eucaena leucocephala* (lmk) dewit seeds in experiment model. European journal of scientific research;43(3);384-91.
- Verma L, Khatri L, Kaushik B, Patil UK, Pawar RS, (2010). Antidiabetic activity of *Cassia occidentalis* (Linn) in normal and alloxan-induced diabetic rats, Indian journal of pharmacology;42(4):224-28.
- Viswanathaswamy AH, Koti BC, Gore A, Tippeswamy AH, Kulkarni RV, (2011). Antihyperglycemic and antihyperlipidemic activity of *Plectranthus amboinicus* on normal and alloxan-induced diabetic rats. Indian journal of pharmaceutical sciences;73(2):139-45.
- Wang H X., Ng T.B.(2003). Alocasin, an antifungal protein from rhizomes of *Alocasia macrorrhiza*. Protein expression & purification;28(1):9-14.
- Wild S, Roglic G, Green A. (2004). Global Prevalence of Diabetes: Estimates for the year 2000 and projections for 2030. Diabetes Care;27:1047–53.
- Yesilada E, Tsuchiya K, Takaishi Y, Kawazoe K, (2000). Isolation and characterization of free radical scavenging flavonoid glycosides from the flowers of *Spartium junceum* by activity-guided fractionation. Journal of Ethnopharmacology; 73(2000);471–78.